

**Dynameco®**

Dynamit Nobel Defence GmbH  
Dr.-Hermann-Fleck-Allee 8  
57299 Burbach. Germany  
Tel.: (+49) 2736 46 2104  
Fax.: (+49) 2736 46 2107  
www.dynameco.com

**Technical Data Sheet**  
**Aerosol Fire Extinguishing Generator (with electrical igniter)**  
***Dynameco 300-E02***

**SPECIFICATIONS**

Dimensions:	H= 193 mm D= 82 mm
Total weight:	about 1,280 kg
Duration of AEROSOL generation:	about 8 s
Volume to be protected:	3,0 m <sup>3</sup>

**SYSTEM SPECIFIC DATA**

Electrical ignition:	1,5 A; 6 ms
Ignition time:	without delay
Storage:	cool and dry
Function temperature:	long duration -40 °C to +60 °C short-time -40 °C to +85 °C
Certification:	BAM – PT <sub>1</sub> - 0567
Approval mark:	PL-4/97 / Aerosol extinguishing agent
Fire class:	B (limited) and C to DIN EN2
EMV-approval:	e12 02 0017
CE EU-conformity-declaration	M/EMV-99/325, 2000-02-04

**SERVICE SPECIFIC DATA**

Test current:	max. 5 mA
Service life:	5 years

For further technical details and queries, please contact  
Technical data subject to change without notice

Status: September 2001

***Dynameco 300-E02***

For further technical details and queries, please contact  
Technical data subject to change without notice

Status: September 2001

***Dynameco 300-E02***